
Standard Steel Lockers

Secure personal storage



Probe

Steel lockers are a great way to provide durable personal storage in schools, factories and offices and dry areas in sport centres and gyms. Our metal lockers are designed to withstand regular use and resist daily wear and tear making them ideal for use in busy environments.

An array of lock options (see page 5), colours (see page 4), compartment configurations and accessories, including support frames, sloping tops and integrated bench seating, are also available for all lockers, offering a unique, customisable installation for your premises.

Manufactured in the UK, the factory operates quality systems in accordance with the latest ISO standards and NEBOSH regulations.


Lockers have been tested and conform to the requirements of the British Standard for Clothes Lockers BS 4680: 1996 'Standard Duty'.



Important note regarding locker installations

Wherever possible lockers should be secured to ensure stability. Single lockers should ideally be fixed back to a wall. Runs of lockers should be fixed together side-to-side and either fixed back to a wall or fixed back-to-back to another run of lockers.

Full Height Lockers



1 compartment Fixed top shelf with double coat hook.


Height - 1780mm*				
Width mm	Depth mm			
305	305			
305	380			
305	460			
380	380			
380	460			
460	460			

380

380

380

460



2 compartment Double coat hook per compartment.

Height - 1780mm*				
Width mm	Depth mm			
305	305			
305	380			
305	460			
380	380			
380	460			
460	460			



3 compartment

Height - 1780mm*				
Width mm	Depth mm			
305	305			
305	380			
305	460			
380	380			
380	460			
460	460			
150	100			



4 compartment

 Height - 1780mm*

 Width mm
 Depth mm

 305
 305

 305
 380


 305
 460

 380
 380

 380
 460

 460
 460

* Height rises with sloping top



Page 3

Low lockers New size

Ideal for use in primary schools, allowing easy access for school children. Single door locker has a fixed garment hanging rail (except 300mm deep) with two coat hooks.



Height - 1243mm*


Width mm Depth mm

Half height lockers New Product

Low lockers are ideal for nursery, infant and junior schools. Single door locker has a fixed garment hanging rail (except 300mm deep) with two coat hooks. ///







Height - 896mm*				
Width mm	Depth mm			
300	300			
300 450				
* Height rises with sloping top				

Three quarter

locker

3 compartment

Page 4

Accessories



 Sloping top height

 Locker depth
 Additional height

 300
 125

 305
 127

 380
 158

 450
 187

 460
 189

Sloping tops are essential in hygiene sensitive locations (such as hospitals and the food industry). The slope prevents items and litter being left on locker tops and makes cleaning easier. Sloping Tops have a 22° upward slope from front to back which will add height to your locker. This varies according to the locker depth.



Lockers are otten used in areas where floors need frequent cleaning. Locker stands provide maximum floor access raising lockers 150mm off the floor.



Two hardwood slats and metal framework form a bench seat in front of the locker, allowing full access to the locker.

Units are 400mm high and come complete with adjustable feet.

Also available;

- Double coat hook
- Hanging rail
- Captive coat hanger







ARRANTI

Colour Options

ActiveCoat antimicrobial technology is incorporated into all our cupboards at the time of manufacture, offering constant protection against a wide range of bacteria.

Body colour range



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.

Lock Options

*Included in locker price. Request lock type at time of ordering.



Type A – Probe cam lock*

Even the standard lock has a micro sprung 10 disc lock featuring a massive 2000 serial combinations- all exclusive to Probe. Two keys are included with each standard lock.



Type P – Re-programmable combination lock

User Re-programmable

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past.

Suitable for multi user applications. Master override key sold separately.



Type K-W

Type K-B

Mechanical reprogrammable lock with 10,000 combinations

These locks are easy to use and features a master key override (supplied separately). Available in black or white finish.



Type H (£1) – Dual coin/token return/retain

These locks are available with coin denominations $\pm/{\mbox{\ensuremath{\in}}}$ or tokens, for either return or retain.



Type B – Hasp & staple*

Attractive design allowing easy use of padlock fitting. Shank diameter maximum 7mm and minimum 5mm. Padlock sold separately.





Type GM – Gemini 2700 mechanical combination lock

This small and innovative lock is available in both flush and surface mount and in a silver or black finish. Master override key sold separately.

Can be used vertically

Subject to minimum order quantity. Specify when ordering.



Type C – Redial pin lock 10,000 combinations

This Radial Pin Lock is designed for greater levels of security. Two keys are included with each lock.



Type GM – Gemini 3700 digital combination lock

This small and innovative lock is available in both flush and surface mount and in a silver or black finish. Master override key sold separately.

Can be used vertically

Subject to minimum order quantity. Specify when ordering.



Type L – Digital combination lock 40,000 combinations

Simple to program battery operated lock which can last up to 50,000 operations before needing changing. Emergency access using service key. Single user supplied as standard but multi-user option is available (specify when ordering)



Type SPU - Public Type SPR - Private Public multi-user auto scramble combination lock

Automatically scrambles to 0000 when opened. Has 999 highly secure combinations available - no batteries needed. It has a metal matte black shell and has a master key override (supplied separately) for code finding and lock resetting.

Type N – Nimbus RFID lock

The Nimbus RFID digital lock provides contactless locking and is compatible with RFID standards and incorporates a membrane touchpad for ease of programming. The keypad can also be used to override the lock when required.

Lockers weights

Weights allows for Cam Lock and Hasp and Staple locks only.

Full height lockers - 1780mm high

SINGLE Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	21	39	57
305	380	23	42	61
305	460	25	45	65
380	380	25	46	67
380	460	28	51	74
460	460	30	55	N/A

THREE Co	mpartment	Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	25	47	69
305	380	27	50	73
305	460	29	53	77
380	380	28	52	75
380	460	31	57	79
460	460	33	59	N/A

FIVE Con	npartment	Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	23	42	63
305	380	26	48	70
305	460	29	53	77
380	380	28	50	74
380	460	30	54	79
460	460	32	58	N/A

	EIGHT Cor	npartment	Single	Nest of 2	Nest of 3
Γ	Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
Γ	305	460	27	59	71

FIFTEEN Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	460	27	49	71

Half height lockers - 896mm high

SINGLE Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
300	300	11	22	33
300	450	13	26	39

TWO Com	partment	Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
300	300	12	23	34
300	450	14	27	40

THREE Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
300	300	13	24	35
300	450	15	28	41

Three quarter height locker - 1350mm high

Three Con	npartment	Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	11	22	33
305	460	13	26	39



01244 940792 | info@probe-lockers.ltd.uk www.probe-lockers.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.

TWO Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	21	40	59
305	380	24	43	62
305	460	26	46	66
380	380	25	46	67
380	460	28	51	74
460	460	31	56	N/A

FOUR Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	22	41	60
305	380	25	46	67
305	460	27	49	71
380	380	28	52	76
380	460	31	58	81
460	460	34	63	N/A

SIX Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	24	45	66
305	380	27	50	73
305	460	30	55	80
380	380	31	58	85
380	460	34	69	104

TEN Com	partment	Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	460	27	49	71

Low lockers - 1243mm high

SINGLE Co	mpartment	Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
300	300	11	21	30
300	450	13	25	34
TWO Con	npartment	Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
300	300	13	25	34
300	450	15	29	43
THREE Co	mpartment	Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
300	300	15	28	41
300	450	17	32	47