

PowerBox Charging Lockers

Secure charging of phone, laptops, tablets,
batteries and power tools



Probe

PowerBox Charging Lockers


The Probe PowerBox Charging Locker range delivers a reliable solution to the growing need for safe, secure charging of valuable equipment in busy workplaces.

Designed for laptops, tablets, phones, radios, body cams, and other portable devices, these lockers combine robust security with versatile charging options to keep essential tech protected and ready to use.

PowerBox Charging Lockers eliminate the hazards of trailing cables and the risk of theft at open power points. Simply position* the fully portable unit in a convenient spot, plug it into a standard power outlet, and it's ready to go—no complex installation required.

Ideal for universities, schools, warehouses, offices, hospitals, and other high-traffic environments, they offer peace of mind wherever devices need to be stored and charged.

Manufactured to the highest standards with a UKCA / CE certified spine, Probe PowerBox Charging Lockers meet all relevant UK and European safety and performance regulations—so you can charge with complete confidence.



ACTIVECOAT

All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.

Important note regarding PowerBox Charging Locker installations

*Single lockers should be fixed back to a wall mounted on battens. Lockers are supplied with mounting brackets to keep lockers a fixed distance off the wall.

Single or Multi-door Options

**MADE IN
BRITAIN**




Multi-door




Single-door

Sizes for all your devices


Choosing the right size for your charging and storage needs.




300 x 300mm



300 x 450mm



380 x 450mm



450 x 450mm



Highly durable textured paint finish in a wide range of door and body colours- **see page 8**




Door air vents help create air flow through the locker helping to minimise heat build-up during charging



A choice of 3 lock types and the option to add disc numbering- **see page 6**

Charging for **Personal Electronic Devices**



Compact yet robust, PowerBox Charging Lockers are purpose-built to keep smaller devices safe, fully charged, and ready to use. Perfect for busy environments where security, accessibility, and ease of use are essential.

- Ideal for charging and securing laptops, tablets, phones, body cams, radios, and other mobile devices
- Power spine helps eliminate trailing cables
- Fully portable – simply place, plug in, and power up
- Each compartment fitted with its own socket
- Durable steel construction with secure locking options
- UKCA / CE certified spine meets UK safety requirements
- Backed by a 7-year warranty for lasting performance. See T&C's for full information



Important note regarding PowerBox Charging Locker installations

*Single lockers should be fixed back to a wall mounted on battens. Lockers are supplied with mounting brackets to keep lockers a fixed distance off the wall.




**16 compartment
single-door**

**All lockers available as
non-charging storage lockers
without rear vents**

Half height lockers (960mm high) provide 8 compartments for secure storage of small but valuable possessions in public areas and throughout the workplace.

Height - 960mm	
Width mm	Depth mm
300	300
300	450
380	450
450	450



**8 compartment
multi-door**



**8 compartment
single-door**



With the spine being centrally location, plugs with different orientations can be used



USB A & C sockets ensure you have the right connection



ACTIVECOAT

All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.

Charging for **Larger Items, Tools & Batteries**



Designed for heavy-duty workplace needs, these PowerBox Charging Lockers provide safe, secure storage and charging for bulkier tools and specialist equipment. Ideal for environments where performance, durability, and safety are essential.

Suitable for secure charging of batteries, power tools, body cams, bar scanners, and emergency services equipment

- UKCA / CE certified spine meets UK safety requirements
- 2 off sockets per compartment in 4-door locker, 1 off per compartment in 8 door locker
- Strengthened solid doors with ventilation and rubber buffers for noise reduction
- Pre-drilled for easy nesting with additional lockers. Nesting bolts available separately



Four door lockers are supplied with 2 sockets per compartment


All lockers available as non-charging storage lockers without rear vents

MADE IN BRITAIN



Height - 1800mm*	
Width mm	Depth mm
300	300
300	450
380	450
450	450

* Height rises with sloping top - see page 5



4 compartment multi-door

Lock options



Type A – Probe cam lock

The standard cam lock has a micro sprung 10 disc lock featuring a massive 2000 serial combinations - all exclusive to Whittan. Two keys are included with each standard lock.



Type B – Hasp & staple

Attractive design allowing easy use of padlock. Transfers responsibility for locking to the user. The user requires a padlock (not supplied) with a shackle diameter of 7mm.



Type P – User re-programmable combination lock

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past. Suitable for multi user applications. Master override key sold separately. Not available on 16 door locker.



**4 compartment
single-door**



**8 compartment
multi-door**



**8 compartment
single-door**

Accessories



Sloping top height	
Locker depth	Additional height
300	125
380	158
450	187


Sloping tops prevent items and litter being left on locker tops and makes cleaning easier. Sloping Tops have a 22° upward slope from front to back which will add height to your locker. This varies according to the locker depth.



Plastic number plates with white backgrounds and black lettering with up to 4 digits. Fits into plastic holder plate on locker door.



Locker stands provide maximum floor access raising lockers 150mm off the floor.



Units are 400mm high and come complete with adjustable feet.



Nesting bolts can be purchased to create a sleek run of lockers. Supplied in packs of 25.

Colours and Code Structure



ActiveCoat antimicrobial technology is incorporated into all our lockers at the time of manufacture, offering constant protection against a wide range of bacteria.

Body colour range

Choice of 3 body colours.



Standard door colour range

Choice of 7 door colours.



Autumn door colour range

Choice of 5 door colours.



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.



Code Structure

Power Box charging lockers

Prefix	Width mm 2 = 300 3 = 380 5 = 450	Locker Nesting	Carcass colour Refer to table	Lock Type Refer to table	Compartment Configuration Refer to table	Sloping top
V	1 2 2	1	1	-- --	P --	ST
	Height mm 1 = 1800 H = 960	Depth mm 2 = 300 3 = 380 5 = 450	Doors 1 = 1 door 4 = 4 door 8 = 8 door T = 10 door Y = 16 door	Door colour Refer to table	Probe	Power Configuration 1 = 3 pin 2 = USB A&C Only 3 = USB + 3 Pin (Multi)

Example locker codes

V12211XDOB00P01 –1800(H),300(W),300(D), nest 1, 1 door, silver grey carcass, blue door, cam lock, 4 compartment, 3 pin

V12211XDOB00P01ST –1800(H),300(W),300(D), nest 1, 1 door, silver grey carcass, blue door, cam lock, 4 compartment, 3 pin, sloping top

Lock codes

Code	Type	Description
00	Type A	Cam lock / deadlock
11	Type B	Hasp & Staple
6P	Type P	Reprogrammable combination

Compartment configuration codes

Code	Description
0	Standard 1 compartment per door
4	4 compartment
8	8 compartment
T	10 compartment
Y	16 compartment

Carcass colour

Code	Colour
XD	Silver / Grey
SK	Black
NG	White

Door colour

Code	Colour
AQ	Red
LW	Yellow
NG	White
OB	Blue
SK	Black
WB	Green
XD	Silver / Grey
VT	Ocean
LJ	Jade
UH	Orange
AC	Lilac
SY	Lemon

Probe
A Trusted **Whittan** Brand

0161 368 4286 | enquiries.lockers@whittan.com | www.probe-manufacturing.co.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.